

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

P.S. – I&CAD Dept. – Sri K. Rama Subba Reddy, Asst. Engineer - Alleged irregularities in formation of new tank across vagu near Ulimella village in Puylivendla Mandal of Kadapa dist. – Disciplinary proceedings were initiated against alleged officers – Inquiry conducted – Further action dropped – Orders - issued.

IRRIGATION & CAD (SER.VII.(V&E)A.1) DEPARTMENT

G.O.Rt. No.929

Dated: 21-07-2008

READ the following:

1. From G.A.(V&E) Department Vigilance Report No.136 (1434/v&E.E1/2003), Dated 29.12.2003
2. G.O.Rt.No. 660 I&CAD (Ser.VII.(V&E)A.1) Dept., Dt. 31-05-2005.
3. From Sri K. Rama Subba Reddy, AE , WSSD Dt. 19-06-2005.
4. G.O.Rt.No. 426, I&CAD (Ser.VII(V&E)A.1) Dept. Dt. 9-03-2006.
5. From Sri S. Sathyanarayana, Member, Commissionerate of Inquiries, G.A.D., Lr.No.115/COI-SSN/A1/2006, Dt.29-09-2007.

ORDER:

It has been brought to the notice of the Government that certain irregularities took place in formation of new tank across vagu near Ulimella village in Puylivendla Mandal of Kadapa Dist.

2. The matter has been examined in detail and in the reference 2nd read above, disciplinary proceedings have been initiated against Sri K. Rama Subba Reddy, Asst. Engineer by framing of article of charges.

3. In the reference 3rd read above, the above Sri K. Rama Subba Reddy, Asst. Engineer has submitted his written statements of defense denying the charges framed against him.

4. After careful examination of the written statement of the defence of the charged officer, it has been decided to conduct regular enquiry into the charges framed against Sri K. Rama Subba Reddy, Asst. Engineer by entrusting the case to COI. Accordingly in the reference 4th read above, Sri S. Sathyanarayana, Member, COI, General Administration Department has been appointed as Inquiring Authority to inquire into the charges framed against him.

5. In the reference 5th read above, the Inquiring Authority has submitted inquiry report stating that the charges framed against Sri K. Rama Subba Reddy, Asst. Engineer are not held proved.

6. After careful examination of the inquiry report, it has been decided to accept the findings of the Inquiring Authority and to drop further action in respect of Sri K. Rama Subba Reddy, Asst. Engineer.

7. Accordingly, Government hereby order to drop further action against Sri K. Rama Subba Reddy, Asst. Engineer relating to alleged irregularities in respect of formation of new tank across vagu near Ulimella village in Puylivendla Mandal of Kadapa dist.

::2::

8. The Engineer-in-Chief (AW), I&CAD Department, Hyderabad is therefore directed to take necessary action in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P. TUCKER

PRINCIPAL SECRETARY TO GOVERNMENT

To

The individuals (through Engineer-in-Chief(AW) , I&CAD Department, Hyderabad)

The Engineer-in-Chief(AW) , I&CAD Department, Hyderabad

The I&CAD (Ser.I) Department.

Copy to:

The General Administration (V&E) Department.

The Secretary, A.P VC, Hyderabad.

SF/SC

//FORWARDED : BY ORDER//

SECTION OFFICER